



CHAMPLAIN MATERNAL NEWBORN REGIONAL PROGRAM  
PROGRAMME RÉGIONAL DES SOINS À LA MÈRE  
ET AU NOUVEAU-NÉ DE CHAMPLAIN

# Perinatal Substance Use and Cannabis Resources

October 2018

## Contents

Cannabis/Marijuana Definition .....	3
Policy /Position Statements .....	3
Clinical Practice Guidelines .....	4
Health Care Professional Resources.....	7
Parent Handouts .....	9
Parent Blogs on BabyCentre.....	11
Webinars .....	12
Websites.....	12
Society of Obstetricians and Gynaecologists of Canada .....	12
The MoTHERS Program.....	12
Canadian Centre on Substance Use and Addiction.....	12
Public Health Campaigns.....	13
Society of Obstetricians and Gynaecologists of Canada- Public Awareness Campaign.....	13
Colorado - Good to Know Campaign- 2015.....	13
Colorado - Campaign for Pregnant and Breastfeeding Women- 2016 .....	14
Colorado – Responsibility Grows Here 2018.....	14
Policy Resources.....	16
Reports .....	16

## Cannabis/Marijuana Definition

Cannabis is a generic term used to denote the several psychoactive preparations of the marijuana (hemp) plant, *Cannabis sativa*. They include marijuana leaf (in street jargon: grass, pot, dope, weed or reefers), bhang, ganja or hashish (derived from the resin of the flowering heads of the plant), and hashish oil (WHO, 2014, p. v).

## Policy /Position Statements

**Marijuana Use during Pregnancy** (Society of Obstetricians and Gynaecologists, 2017)



**Recommendations:**

- Women who are pregnant or contemplating pregnancy should abstain from cannabis use during pregnancy.
- Health professionals discuss the potential adverse health effects of cannabis use during pregnancy with patients who are pregnant or contemplating pregnancy.
- Women who are pregnant or contemplating pregnancy be encouraged to discontinue cannabis use.
- Use of cannabis for medicinal purposes be strongly discouraged during pregnancy, in favor of alternative therapies that have proven to be safe during pregnancy.
- Women be encouraged to abstain from cannabis use during lactation and breastfeeding.
- Further research be undertaken on the effects of cannabis on pregnancy and lactation.
- Public education be funded and made widely available to ensure that those who are pregnant or contemplating pregnancy are aware of the risks posed by cannabis.

Society of Obstetricians and Gynaecologists of Canada (2017, May 9). Marijuana use during pregnancy [Position Statement]. Retrieved from <https://sogc.org/files/letSOGCstatementCannabisUse.pdf>

**Marijuana use During Pregnancy and Lactation**  
(ACOG, 2017)



INTERIM UPDATE

### ACOG COMMITTEE OPINION

Number 722, October 2017

(Replaces Committee Opinion No. 637, July 2015)

**Recommendations:**

- Before pregnancy and in early pregnancy, all women should be asked about their use of tobacco, alcohol, and other drugs, including marijuana and other medications used for nonmedical reasons.
- Women reporting marijuana use should be counseled about concerns regarding potential adverse health consequences of continued use during pregnancy.
- Women who are pregnant or contemplating pregnancy should be encouraged to discontinue marijuana use.
- Pregnant women or women contemplating pregnancy should be encouraged to discontinue use of marijuana for medicinal purposes in favor of an alternative therapy for which there are better pregnancy-specific safety data.

- There are insufficient data to evaluate the effects of marijuana use on infants during lactation and breastfeeding, and in the absence of such data, marijuana use is discouraged.

American College of Obstetricians and Gynecologists [Committee opinion No. 722] (replaces No. 637, July 2015): Marijuana use during pregnancy and lactation. *Obstetrics & Gynecology*, 130(4), e205-e209.

## Clinical Practice Guidelines

### Guidelines for the Identification and Management of Substance Use and Substance Use Disorders in Pregnancy (World Health Organization, 2014)

Selected Recommendations:

Recommendation #12: Breastfeeding with maternal alcohol and/or substance dependence:

- Mothers with substance use disorders should be encouraged to breastfeed unless the risks clearly outweigh the benefits
- Breastfeeding women using alcohol or drugs should be advised and supported to cease alcohol or drug use; however, substance use is not necessarily a contraindication to breastfeeding.

Recommendations #13

- Skin-to-skin contact is important regardless of feeding choices and needs to be actively encouraged for the mother with a substance use disorder who is able to respond to her baby's needs.
- Mothers who are stable on opioid maintenance treatment with either methadone or buprenorphine should be encouraged to breastfeed unless the risks clearly outweigh the benefits.

World Health Organization (2014). Guidelines for identification and management of substance use and substance use disorders in pregnancy. Geneva, Switzerland: World Health Organization. Retrieved from [http://www.who.int/substance\\_abuse/publications/pregnancy\\_guidelines/en/](http://www.who.int/substance_abuse/publications/pregnancy_guidelines/en/)



Guidelines for the identification and management of substance use and substance use disorders in pregnancy



### Substance Use in Pregnancy (Society of Obstetricians and Gynaecologists, 2011)

SOGC CLINICAL PRACTICE GUIDELINE

No. 256, April 2011

## Substance Use in Pregnancy

The objective of this clinical practice guideline is to improve awareness and knowledge of problematic substance use in pregnancy and to provide evidence-based recommendations for the management of this challenging clinical issue for all health care providers. 11 recommendations are included.

Wong, S., Ordean, A., Kahan, M., et al and the Society of Obstetricians and Gynaecologists (2011). Substance Use in Pregnancy [Clinical Practice Guideline, No 256]. *JOGC*, 33(4), 367-384.





[Simplified guideline for prescribing medical cannabinoids in primary care](#) (Canadian Family Physicians, 2018)



This simplified medical cannabinoid prescribing guideline provides practical recommendations for the use of medical cannabinoids in primary care. All recommendations are intended to assist with, not dictate, decision making in conjunction with patients.

Recommendations include limiting medical cannabinoid use in general, but also outline potential restricted use in a small subset of medical conditions for which there is some evidence (neuropathic pain, palliative and end-of-life pain, chemotherapy-induced nausea and vomiting, and spasticity due to multiple sclerosis or spinal cord injury). Other important considerations regarding prescribing are reviewed in detail, and content is offered to support shared, informed decision making.

- We strongly recommend against medical cannabinoids for nausea and vomiting in pregnancy or hyperemesis gravidarum owing to the lack of evidence, known harms, and unknown harms (strong recommendation) (p. 112).


Allan, G. M., Ramji, J., Perry, D., Ton, J., Beahm, N. P., Crisp, N., ... Lindblad, A. J. (2018). Simplified guideline for prescribing medical cannabinoids in primary care. *Canadian Family Physician*, 64(2), p. 111-120. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/29449241>

## Health Care Professional Resources

[Legal Cannabis Doesn't Mean It's Safe for Pregnant Women, Why Risk it?](#) (SOGC, 2018, Oct 17)




[Cannabis and Pregnancy: Getting Ahead of Policy](#) (Thunder Bay District Health Unit, 2018)



[Clearing the Smoke on Cannabis: Maternal Cannabis Use during Pregnancy- An Update](#) (Canadian Centre on Substance Abuse, 2018)

Key Points:

- Cannabis is the illicit drug most commonly used during pregnancy.
- Constituents of cannabis can pass into breast milk during lactation and are absorbed and metabolized by the infant.
- Frequent cannabis use during pregnancy is associated with low birth weight and is part of a cluster of risk-factors correlated with other adverse birth outcomes.
- Prenatal and early exposure to cannabis can alter neurodevelopment leading to adverse effects on cognition and academic achievement.
- There are also effects on behaviour in children and young adults, including attention deficits, increased hyperactivity and impulsivity, and increased likelihood of substance use (see image on p.5).
- Information on the effects of cannabis use during pregnancy is essential to help healthcare providers advise patients about the impact of cannabis use and improve the health and well-being of patients and their children.




**Doorways to Conversation** (bilingual resource) (Centre of Excellence for Women's Health, 2018)

The goals of this resource is to:

- 1) Summarize key findings from the academic and grey literature, the national dialogues sessions, and the consultations with professional organizations.
- 2) Present and discuss opportunities for improving the capacity of health care and social service providers to discuss alcohol and other substance use with women and their support networks in the preconception and perinatal periods.

This resource includes 50 ideas for starting conversations with girls and women.

Nathoo, T., Poole, N., Wolfson, L., Schmidt, R., Hemsing, N., and Gelb, K. (2018). *Doorways to Conversation: Brief Intervention on Substance Use with Girls and Women*. Vancouver, BC: Centre of Excellence for Women's Health.



**Marijuana Pregnancy and Breastfeeding Guidance. For Colorado Health Care Providers Prenatal Visits** (Colorado Department of Public Health & Environment, 2017)



**Information for Health Care Professionals: Cannabis (marihuana, marijuana) and the Cannabinoids** (Health Canada, 2013)



**Information for Health Care Professionals**

Cannabis (marihuana, marijuana) and the cannabinoids



## Parent Handouts

### Cannabis and Pregnancy Don't Mix (SOGC, 2018)

**CANNABIS AND PREGNANCY DON'T MIX**

Cannabis is a commonly used drug among pregnant women (2,3). There are over 400 active ingredients in cannabis. The main active chemicals are delta-9 tetrahydrocannabinol (THC) and cannabidiol (CBD). Both THC and CBD are known to cross the placenta during pregnancy (2,4,5). No matter how cannabis is used (e.g., smoked, vaped, eaten), the developing baby may be adversely affected by any amount of cannabis taken by pregnant or breastfeeding women.

There is no known safe amount or time for cannabis use in pregnancy and when breastfeeding (5,7).

**Long-term use of cannabis may affect the menstrual cycle and lead to a subsequent decrease in ovulation, reproduction and fertility (8-10).**

**FERTILITY**

Smoking cannabis may increase carbon monoxide levels in the blood, which can decrease the amount of oxygen delivered to the baby (2). Regular use of cannabis during pregnancy may be associated with increased risk for low birth weight, preterm delivery, and stillbirth (7, 9-10).

**IMPACT ON FETUS & BIRTH OUTCOMES**

Maternal cannabis use has been linked to adverse effects on a child's brain development, including reduced memory function, ability to pay attention, reasoning and problem-solving skills, increased risk of depression or anxiety, hyperactive behaviour, and increased risk for future substance use (2, 10-17).

**UNDER-TERM DEVELOPMENTAL EFFECTS**

**BREASTFEEDING**

Cannabis compounds are absorbed in milk, the amount of which can be passed down to the baby through breast milk (20). These compounds are slowly released over time (up to 30 days) (20-22). This means that "pumping and dumping" breastmilk does not remove the compounds from the milk. The study found that babies exposed to THC through breastmilk had slower motor development, reduced visual memory, and poor feeding.

While the use of cannabis may relieve certain symptoms of postpartum depression, women should be aware of the potential risks. There are other treatments for postpartum depression that are effective and safer to use during pregnancy (22-24).

**MORNING SICKNESS**

Cannabis smoke has many of the same chemicals as tobacco smoke, and exposure may increase the risk of second-hand smoke development problems (25, 10-18).

**SECOND-HAND SMOKE**

Given what we now know about the short and long-term effects of cannabis on fetuses and babies, it is **not safe for women to avoid using cannabis while pregnant and while breastfeeding** (32,23). More research is needed, which may provide more specific information about the harms associated with amount, duration and timing of exposure. Information about cannabis and pregnancy and to breastfeeding can be found at [www.pregnancyinfo.ca/learnmore/](http://www.pregnancyinfo.ca/learnmore/).

### 8 Things You Need to Know about Cannabis, Pregnancy and Breastfeeding (SOGC, 2018)

**8 THINGS YOU NEED TO KNOW ABOUT CANNABIS, PREGNANCY AND BREASTFEEDING**

Research shows that cannabis use by pregnant and breastfeeding women can negatively impact their health and that of their developing baby. Here's the most up to date evidence about the effects of cannabis during pregnancy and breastfeeding on you and your developing baby:

1. It is **not safe** to use cannabis during pregnancy and breastfeeding.
2. There is **no safe time** to consume cannabis, since the baby's brain develops throughout pregnancy. In fact, brain development continues from infancy through the teenage years, until about age 25. Cannabis can affect the brain at all stages of development.
3. No matter how it is used (e.g., smoked, vaped, eaten), the developing baby may be affected by all forms of cannabis taken by pregnant and breastfeeding women.
4. Smoking cannabis may increase carbon monoxide levels in blood, which, like smoking cigarettes, can decrease the amount of oxygen the developing baby receives.
5. Studies have indicated that the use of cannabis during pregnancy may be associated with increased risk for low birth weight, preterm delivery, and stillbirth.
6. Cannabis compounds are stored in body fat and can be passed to the baby through breastmilk. These chemicals are slowly released over time (up to 30 days), which means that "pumping and dumping" breastmilk does not remove the compounds from the milk. The study found that babies exposed to cannabis through breastmilk have slower motor development, reduced visual memory, and poor feeding.
7. Maternal cannabis use has been linked to adverse effects on a child's brain development, including reduced memory function, ability to pay attention, reasoning and problem-solving skills, and is associated with more hyperactive behaviour, an increased risk of depression or anxiety, and increased risk for future substance use. Therefore, the effects of cannabis exposure during pregnancy may last a lifetime.
8. Using cannabis during pregnancy may affect your DNA and genes, which can be passed on to future generations, impacting their health.

Given what we now know about the short and long-term effects of cannabis on pregnancy, fetuses, and babies, it is **not safe for women to avoid using cannabis while pregnant and while breastfeeding**. If you have any questions about cannabis use during pregnancy or breastfeeding, please speak to your health care provider.

Information about cannabis and pregnancy and breastfeeding can be found at [www.pregnancyinfo.ca/learnmore/](http://www.pregnancyinfo.ca/learnmore/). SOGC

### Thinking about Using Cannabis Before or During Pregnancy (Public Health Agency of Canada, 2018)

**Thinking about using cannabis before or during pregnancy?**

Get the current facts about using cannabis for non-medical purposes during pregnancy and the health effects it can cause a growing child. Talk with your health care provider about information on cannabis for medical purposes.

**About cannabis**

Cannabis is also known as marijuana, weed and pot. It has more than 100 chemical compounds. Hash and hash oil also come from the cannabis plant.

- Delta-9-tetrahydrocannabinol (THC) is the chemical compound that makes people feel high.
- THC content in cannabis has increased over the past several years.
- Cannabidiol (CBD) is another chemical compound known for its therapeutic use for pain, inflammation and anxiety.
- CBD does not make you feel high.
- CBD products may contain THC.

**Risks of using cannabis**

Second-hand cannabis smoke can be harmful. It is safest not to smoke or vaporize cannabis at home or in a car.

Using cannabis daily, or almost daily, may have effects that last for several weeks, years, or even fully go away, even after stopping use. Some people may have a higher risk of:

- Developing a mental health problem.
- Having an existing mental health problem worsen.
- Having psychotic episodes.

More research is needed to clearly understand all the possible health effects of cannabis use.

**What's more to know about the short and long-term effects of cannabis, it is safest to avoid using cannabis when pregnant and breastfeeding.**

### Thinking about Using Cannabis While Parenting (Public Health Agency of Canada, 2018)

**Thinking about using cannabis while parenting?**

Get the current facts about using cannabis for non-medical purposes while parenting young children. Talk with your health care provider about information on cannabis for medical purposes.

**About cannabis**

Cannabis is also known as marijuana, weed and pot. It has more than 100 chemical compounds. Hash and hash oil also come from the cannabis plant.

- Delta-9-tetrahydrocannabinol (THC) is the chemical compound that makes people feel high.
- THC content in cannabis has increased over the past several years.
- Cannabidiol (CBD) is another chemical compound known for its therapeutic use for pain, inflammation and anxiety.
- CBD does not make you feel high.
- CBD products may contain THC.

**Risks of using cannabis**

Second-hand cannabis smoke can be harmful, especially to children. It is safest not to smoke or vaporize cannabis at home or in a car.

Using cannabis daily, or almost daily, may have effects that last for several weeks, years, or even fully go away, even after stopping use. Some people may have a higher risk of:

- Developing a mental health problem.
- Having an existing mental health problem worsen.
- Having psychotic episodes.

More research is needed to clearly understand all the possible health effects of cannabis use.

**Although cannabis is a natural plant, it doesn't make it safe during pregnancy.**

## What you need to know about marijuana use and pregnancy (Centres for Disease Control and Prevention, 2017)

### What You Need to Know About Marijuana Use and Pregnancy

2017

#### Fast Facts

- Using marijuana during pregnancy may increase your baby's risk of developmental problems.<sup>1,2</sup>
- About one in 25 women in the U.S. reports using marijuana while pregnant.<sup>3</sup>
- The chemicals in any form of marijuana may be bad for your baby – this includes edible marijuana products (such as cookies, brownies, or candies).<sup>4</sup>
- If you're using marijuana and are pregnant or are planning to become pregnant, talk to your doctor.

#### Can using marijuana during my pregnancy negatively impact my baby after birth?

- Research shows marijuana use during pregnancy may make it hard for your child to pay attention or to learn, these issues may only become noticeable as your child grows older.<sup>5</sup>

#### Does using marijuana affect breastfeeding?

- Chemicals from marijuana can be passed to your baby through breast milk. THC is stored in fat and is slowly released over time, meaning an infant could be exposed for a longer period of time.
- However, data on the effects of marijuana exposure to the infant through breastfeeding are limited and conflicting.

## Women and Cannabis (Education and Training Council, Alberta FASD Cross Ministry Committee, 2017)

## Les femmes et le cannabis (l'Education and Training Council et de l'Alberta Cross Ministry Committee, 2017)

### Women and Cannabis

#### Cannabis

- Cannabis is a plant with psychoactive properties that can be used in many ways, including smoking, eating, or drinking.
- It is often used for medical purposes, such as pain relief, and is also used recreationally.
- It is important to know that cannabis can be harmful to your health and the health of your baby.

#### Cannabis and Pregnancy

- Using cannabis while pregnant can harm your baby's development.
- It can also make it harder for your baby to learn and pay attention.
- It is important to talk to your doctor about the risks of using cannabis while pregnant.

#### Cannabis and Your Health

- Using cannabis can affect your heart, lungs, and other organs.
- It can also affect your ability to think clearly and make decisions.
- It is important to know that cannabis can be addictive.

Until more is known about the short and long-term effects of cannabis on fetuses, babies and young children, it is safest to avoid using cannabis while pregnant.

## Risks of Cannabis on Fertility, Pregnancy, Breastfeeding and Parenting (Best Start Resource Centre, 2017)

## Les risques du cannabis sur la fertilité, la grossesse, l'allaitement et le rôle parental (Centre de ressources Meilleur départ, 2017)

Note: Best Start Resources Centre worked with the Public Health Agency of Canada to adapt this booklet into two resources:

- Thinking about using cannabis before or during pregnancy? / *Pensez-vous consommer du cannabis avant ou pendant la grossesse?*
- Thinking about using cannabis while parenting? / *Pensez-vous consommer du cannabis si vous avez de jeunes enfants?*

### Risks of Cannabis on Fertility, Pregnancy, Breastfeeding and Parenting

best start meilleur départ

Best Start Resource Centre (2017). Risks of cannabis on fertility, pregnancy, breastfeeding and parenting. Toronto, ON: Author. Retrieved from <http://www.beststart.org/cgi-bin/commerce.cgi?preadd=action&key=A30-E>

## Marijuana and Breastfeeding (St. Josephs Healthcare Hamilton, 2015)

### St. Joseph's Healthcare Hamilton

### McMaster Children's Hospital

#### Marijuana and Breastfeeding

Breastmilk is the best food for babies. However, if breastfeeding women use marijuana it passes into their breastmilk, which raises concerns about possible harm to their babies. For this reason, marijuana use while breastfeeding is not recommended.

This handout provides information to help you decide about marijuana use while breastfeeding.

#### What are the effects of marijuana on a baby?

Marijuana contains many substances, but the main ingredient is THC (Tetrahydrocannabinol). When a mother inhales or eats marijuana, THC goes into her breastmilk. Research suggests that frequent use of marijuana results in higher amounts of THC in breastmilk.

During breastfeeding THC is passed to the baby. THC stays in the baby's body for up to 3 weeks.

Although the effect of THC on breastfeeding babies has not been well studied, these results have been reported:

- Increased tremors (shaking)
- Poor sucking
- Less feeding time
- Slow weight gain
- Delayed motor development

**What does the research say?**  
To read research findings and guidelines, go to the websites listed on the next page.

The long term effects of exposure to THC at a time when a baby's brain is still forming is not known. Marijuana may cause lasting changes in thinking, learning, behaviour and mental health.

## [Cannabis in Canada –Get the Facts](#) (Health Canada, 2018)

Your Cannabis Questions, Answered. Get the Honest Facts

- [If I smoke pot and then breastfeed, will my baby get high?](#)



## [Consumer information - Cannabis \(Marihuana, marijuana\)](#)

(Health Canada, July 2016) (not specific to pregnant/breastfeeding women)

Key points:

- “Cannabis should not be used if you: ... are pregnant, are planning to get pregnant, or are breast-feeding” (p. 2)



## Parent Blogs on BabyCentre

(Note: BabyCentre was listed as one of the top websites that expectant parents in our region consulted when learning information about newborn care. See the [CMNRP Postnatal Hospital Discharge Report](#))

[AAP says avoid marijuana during pregnancy, breastfeeding](#) (Aug 2018)



[Don't take advice from cannabis dispensaries](#) (n.d)

[Is marijuana from a dispensary safer than the street drug?](#) (May 2017)

[Will using marijuana affect our chances of getting pregnant?](#) (May 2017)

[Is it safe to use marijuana during pregnancy?](#) (July 2017)

[Is it safe for a breastfeeding mom to use marijuana?](#) (July 2017)


[Are edibles or cannabis oil okay to use when I'm pregnant or breastfeeding?](#) (Nov 2016)

## Webinars

[Marijuana Use During Pregnancy and Lactation: Weeding out the Evidence](#) Dr. Alison Shea, MD, PhD, MSc, FRCSC, NCMP (February, 2018) (34:34 mins)  
[Download the presentation slides](#)



[Perinatal Cannabis Use - Implications For Pregnancy, Lactation And Parenting](#) Dr. Alice Ordean, MD, CCFP, MHSc, FCFP, DABAM (July 2017)



This webinar will provide an evidence-based review of the prevalence and factors associated with cannabis use during pregnancy and lactation. Short- and long-term effects of perinatal cannabis use will also be reviewed. Finally, best practices for identification and intervention with pregnant women will be discussed.

## Websites

[Society of Obstetricians and Gynaecologists of Canada](#)  
[Your Pregnancy- Healthy Pregnancy- Substance Use in Pregnancy](#)

[Are you pregnant or considering pregnancy? Did you know that use of cannabis may be harmful to your baby?](#)

[The MoTHERS Program](#)

[What's Safe, What's Not: Marijuana](#)


[What's Safe, What's Not: Drugs](#)



[Canadian Centre on Substance Use and Addiction](#)  
[Substance Use during Pregnancy](#)

Key points: It is important to address marijuana use during pregnancy

A growing body of evidence suggests that cannabis use during pregnancy can impact pre- and post-natal development:



- Heavy cannabis use during pregnancy is associated with having a lower birth weight baby.
- Such use is also associated with longer-term developmental effects in children and adolescents, including deficits in memory and attention, increased hyperactivity and impulsivity, and increased risk of engaging in substance use.
- The substances in cannabis can be passed in the breast milk to the baby.

Information on the effects of cannabis use during pregnancy and breastfeeding is essential to help healthcare providers advise patients about the impact of cannabis use and improve the health and well-being of patients' children.

## Public Health Campaigns

### Society of Obstetricians and Gynaecologists of Canada- Public Awareness Campaign

[The SOGC Urges Canadians to Avoid Cannabis Use during Pregnancy and Breastfeeding](#) (April 20, 2018)

[Legal Doesn't Mean Safe. The SOGC Urges Canadians to Avoid Cannabis During Pregnancy and Breastfeeding](#) (June 25, 2018)

[Times Have Changed](#) (1:05 mins)



[Not Just an Herb](#) (1:12mins)



### Colorado - Good to Know Campaign- 2015

[Colorado Starts Its 'Good To Know' Pot Education Campaign](#)

(2015, Newsy) (2:05 mins)



Screen shot #1  
(price tag= \$5.7 million)

Champlain Maternal Newborn Regional Program\_October 2018





## Colorado - Campaign for Pregnant and Breastfeeding Women- 2016



[Colorado Department of Public Health & Environment: State health department launches marijuana education campaign for pregnant and breastfeeding women](#) (June 13, 2016 press release).

### Key Messages:


- There is no known safe amount of marijuana use while pregnant or breastfeeding.
- Tetrahydrocannabinol, or THC, the chemical that creates the marijuana “high,” is passed from mother to baby during pregnancy and breastfeeding whether it is smoked, vaped or eaten.
- Exposure to THC in the womb may affect a baby’s brain development.
- THC stays in breast milk much longer than alcohol does, so “pumping and dumping” doesn’t work.
- Because THC is stored in body fat, it stays in the mother’s and baby’s bodies for a long time.
- Secondhand marijuana smoke has many of the same chemicals as tobacco smoke and is unhealthy for both mother and baby.

## Colorado – Responsibility Grows Here 2018

### [Responsibility Grows Here](#)



## Responsibility Grows Here: Pregnant and Breastfeeding



## Policy Resources


### Government of Canada: Department of Justice

- Cannabis will be legalized on October 17, 2018



### University of Calgary Health Technology Assessment Unit (2018). Alberta Cannabis Legalization Policy Primer [e-book]


- A summary of the Cannabis Evidence Series, a comprehensive research report written for the Alberta government officials who are drafting legalization policies. It contains five steps for understanding legalization, so you can stay informed as policy evolves.



## Reports

### Survey of Health and Social Service Providers (Canadian Public Health Association, 2018)

The Canadian Public Health Association conducted an online survey to explore providers' knowledge and perceptions of cannabis consumption. They sought to gain a better understanding of potential knowledge and capacity barriers that may exist and establish if this influences provider capacity to support their client populations in the context of cannabis legalization. A copy of the survey questions are included in the appendix.



#### Key findings:

- 49.9 % of respondents (n=197, N=395) reported that they felt comfortable discussing the harms and benefits of cannabis use as it relates to perinatal health (e.g. pregnancy, nursing).
- Knowledge and access of education and training in the form of professional development by topic related to cannabis (N=501), **Cannabis use and perinatal health (e.g. pregnancy, nursing)**: I am aware and have access 33.2%; I am aware, but do not have access 22.7%; I am not aware and interested in learning more 38.2%; I am not interested in this topics 5.8% (p. 27).

Canadian Public Health Association (2018). A public health approach to cannabis: Survey of health and social services providers [Report]. Ottawa, ON: Authors. Retrieved from <https://www.cpha.ca/survey-health-and-social-service-providers-report>

Canadian Agency for Drugs and Technologies  
in Health (CADTH) (September 13, 2018)

The purpose of this report is to identify, summarize, and critically appraise the available clinical evidence on safety and evidence-based guidelines regarding the use of controlled and illicit substances by breastfeeding parents.

Gray, C. & Spry, C. and the Canadian Agency for Drugs and Technologies in Health (2018). Substance use in breastfeeding parents: A review of safety and guidelines. Ottawa, ON: CADTH rapid response report: Summary with critical appraisal. Retrieved from <https://www.cadth.ca/substance-use-breastfeeding-parents-review-safety-and-guidelines>

CADTH RAPID RESPONSE REPORT:  
SUMMARY WITH CRITICAL APPRAISAL

## Substance Use in Breastfeeding Parents: A Review of Safety and Guidelines